



COMMONWEALTH OF MASSACHUSETTS  
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
NORTHEAST REGIONAL OFFICE

205B Lowell Street, Wilmington, MA 01887 • (978) 694-3200

DEVAL L. PATRICK  
Governor

TIMOTHY P. MURRAY  
Lieutenant Governor

IAN A. BOWLES  
Secretary

LAURIE BURT  
Commissioner

Stefan Abramo  
Siemens Water Technology  
10 Technology Drive  
Lowell, MA 01851

RE: **LOWELL**  
Northeast Region  
**BWP IW38: PERMIT FOR  
INDUSTRIAL SEWER USER  
IN IPP POTW DISCHARGING  
MORE THAN 50,000 GPD**  
M.G.L Ch 21, Section 43  
314 CMR 7.00 and 2.06  
Transmittal No. W202783  
**FINAL APPROVAL**

Dear Mr. Abramo:

Enclosed is your Permit for Industrial Sewer User BWP IW38 issued pursuant to the Massachusetts Clean Water Act (the "State Act"), M.G.L., Ch. 21, Section 26-53, as amended, and the promulgated regulations 314 CMR 7.00, 314 CMR 2.00, and 310 CMR 4.00 thereunder.

No comments objecting to the issuance or terms of the Permit were received by MassDEP during the public comment period. Therefore, in accordance with 314 CMR 2.08, the Permit becomes effective upon issuance unless your Permit is appealed.

This Permit is an action of the MassDEP. Please carefully review the enclosed permit, including the all terms and conditions stated under. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within thirty (30) days of the date this permit was issued.

Under 310 CMR 1.01(6)(b), the request for a hearing must state clearly and concisely the facts that are the grounds for the request, and the relief sought. Additionally, the request must state why the permit is not consistent with applicable laws and regulations.

The hearing request, along with a valid check payable to the Commonwealth of Massachusetts, in the amount of \$100.00, must be mailed to:



Siemens Water Technology  
Permit for Industrial Sewer User  
Transmittal No. W202783  
Page 2

Commonwealth of Massachusetts  
Department of Environmental Protection  
P.O. Box 4062  
Boston, MA 02211

The request for a hearing will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below.

The Department may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Please include the transmittal number listed above on any further correspondence regarding your application.

Should you have any questions concerning this matter, please do not hesitate to contact Muhammad R. Ahsan at (978) 694-3280.

Very truly yours,

---

Muhammad R. Ahsan  
Environmental Engineer  
Bureau of Waste Prevention

---

James E. Belsky  
Permit Chief  
Bureau of Waste Prevention

cc: Lowell Health Department, 341 Pine Street, Lowell, MA 01851  
Lowell Regional Wastewater Utility, First Street Blvd., Lowell, MA 01850  
MassDEP, NERO: M. Ahsan, File

Enclosures:

Transmittal Form  
Permit for Industrial Sewer User  
Attachment A  
IWPS Description  
IWPS Process Flow (2)